

Cutting screen versions for RotaCut™ 1500 / 3000 / 5000 / 10000


1 Cutting screens for RotaCut™ 1500

1.1 Types: standard / fine / rough


RotaCut™ 1500 - cutting screens

outside- Ø: 200 mm


type	part number	part number	fig. no.	flow area approx. [cm²]	max. ball-Ø approx. [mm]
	steel	stainless steel			
standard	GFL0066	GFL0067	1.1	111	15
fine	GFL0068	GFL0069	1.2	122	10
rough	GFL0071	GFL0072	1.3	113	20



1.1



1.2



1.3



2 Cutting screens for RotaCut™ 3000


2.1 Types: standard / rough

RotaCut™ 3000 - cutting screens
outside - Ø: 260 mm

type	part number		fig. no.	flow area approx. [cm ²]	max. ball-Ø approx. [mm]
	steel	stainless steel			
standard	GFL.427.N3.M9	GFL.427.N3.E3	2.1	253	20
rough	GFL0035	GFL0093	2.2	281	28



2.1




2.2


2.2 Type: honey combs

RotaCut™ 3000 - cutting screens
outside - Ø: 260 mm


type	part number	part number	fig.	flow area	max. ball - Ø	max. honey comb width
	steel	stainless steel	no.	approx. [cm²]	approx. [mm]	[mm]
honey combs	GFL.546.M9	GFL.546.E3	2.3	161	4	4.62
	GFL.573.M9	GFL.573.E3	2.4	215	6	6.93
	GFL.570.M9	GFL.570.E3	2.5	228	8	9.24
	GFL.527.M9	GFL.527.E3	2.6	224	10	11.55
	GFL.480.M9	GFL.480.E3	2.7	200	12	13.86
	GFL.449.M9	GFL.449.E3	2.8	239	15	17.32




2.3




2.4




2.5



2.6



2.7




2.8

3 Cutting screens for RotaCut™ 5000


3.1 Types: standard / fine / rough

RotaCut™ 5000 - cutting screens
outside - Ø: 330 mm


type	part number		fig. no.	flow area approx. [cm ²]	max. ball - Ø approx. [mm]
	steel	stainless steel			
standard	GFL.421.N1.M9	GFL.421.N1.E3	3.1	445	24
fine	GFL.430.N1.M9	GFL.430.N1.E3	3.2	397	15
rough	GFL.150.N3.M9	GFL.150.N3.E3	3.3	419	30



3.1



3.2




3.3


3.2 Type: honey combs

RotaCut™ 5000 - cutting screens
outside - Ø: 330 mm


type	part number	part number	fig.	flow area	max. ball - Ø	max. honey comb width
	steel	stainless steel	no.	approx. [cm²]	approx. [mm]	[mm]
honey combs	GFL.543.M9	GFL.543.E3	3.4	278	4	4.92
	GFL.572.M9	GFL.572.E3	3.5	357	6	6.93
	GFL.499.N1.M9	GFL.499.N1.E3	3.6	366	8	9.24
	GFL.511.N1.M9	GFL.511.N1.E3	3.7	399	10	11.55
	GFL.497.M9	GFL.497.E3	3.8	358	12	13.86
	GFL.493.M9	GFL.493.E3	3.9	421	15	17.32




3.4




3.5




3.6



3.7



3.8




3.9

4 Cutting screens for RotaCut™ 10000


4.1 Types: standard / fine / rough

RotaCut™ 10000 - cutting screens
outside - Ø: 430 mm


type	part number		fig. no.	flow area approx. [cm ²]	max. ball - Ø approx. [mm]
	steel	stainless steel			
standard	GFL0029	GFL0037	4.1	865	34
fine	GFL0040	GFL0041	4.2	772	20
rough	GFL0038	GFL0039	4.3	858	38



4.1



4.2




4.3


4.2 Type: honey combs

RotaCut™ 10000 - cutting screens
outside - Ø: 430 mm


type	part number	part number	fig.	flow area	max. ball-Ø	max. honey comb width
	steel	stainless steel	no.	approx. [cm ²]	approx. [mm]	[mm]
honey combs	GFL0048	GFL0049	4.4	468	4	4.62
	GFL0046	GFL0047	4.5	546	8	9.24
	GFL0044	GFL0045	4.6	664	12	13.86
	GFL0042	GFL0043	4.7	756	16	18.48




4.4



4.5



4.6




4.7

5 Special cutting screens

RotaCut™ 3000 special cutting screen

type	part number	part number	fig.	flow area	max. ball - Ø
	steel	stainless steel	no.	approx. [cm ²]	approx. [mm]
for animal feeding	GFL.446	GFL.446.E3	5.1	195	19



5.1